

The logo for Acola Panel is centered in the upper half of the image. It features the word "ACOLA" in a bold, red, sans-serif font. The letter "O" is stylized with a white, double-headed arrow pointing horizontally. A small "TM" trademark symbol is located to the upper right of the "A" in "ACOLA". Below "ACOLA", the word "PANEL" is written in a white, bold, sans-serif font.

ACOLATM

PANEL

PREMIUM
ALUMINIUM HONEYCOMB PANEL

ACOLATM PANEL

PREMIUM ALUMINIUM HONEYCOMB PANEL

Certified by
International Quality Standards of SGS

SGS

TEST REPORT No. CPSA/250253442-CB72592
Job Ref. C&P/2025-02-21-019

REPORTED DATE: 11-MAR-2025

TEST PART DESCRIPTION:

Sample Description: -PLEASE REFER TO PAGE 1-

Table 3: Concentration of Formaldehyde & single VOC compound as toluene equivalent in range of C₆-C₁₀ at 3rd day:

	CAS No	3 rd Days (µg/m ³)
Formaldehyde	50-00-0	N.D.
Sum of TVOC (as Toluene equivalent)	-	N.D.

Table 4: Concentration of Formaldehyde & single VOC compound as toluene equivalent in range of C₆-C₁₀ at 7th day:

	CAS No	7 th Days (µg/m ³)
Formaldehyde	50-00-0	N.D.
Sum of TVOC (as Toluene equivalent)	-	N.D.

Note: N.D. = Not Detected / Less than MDL-Method detection limit

TEST REPORT No. CPSA/250253442-CB72592
Job Ref. C&P/2025-02-21-019

REPORTED DATE: 11-MAR-2025

TEST PART DESCRIPTION:

Sample Description: -PLEASE REFER TO PAGE 1-

Table 3: Concentration of Formaldehyde & single VOC compound as toluene equivalent in range of C₆-C₁₀ at 3rd day:

	CAS No	3 rd Days (µg/m ³)
Formaldehyde	50-00-0	N.D.
Sum of TVOC (as Toluene equivalent)	-	N.D.

Table 4: Concentration of Formaldehyde & single VOC compound as toluene equivalent in range of C₆-C₁₀ at 7th day:

	CAS No	7 th Days (µg/m ³)
Formaldehyde	50-00-0	N.D.
Sum of TVOC (as Toluene equivalent)	-	N.D.

Note: N.D. = Not Detected / Less than MDL-Method detection limit

TEST REPORT No. CPSA/250253442-CB72592
Job Ref. C&P/2025-02-21-019

REPORTED DATE: 11-MAR-2025

TEST PART DESCRIPTION:

Sample Description: -PLEASE REFER TO PAGE 1-

Table 3: Concentration of Formaldehyde & single VOC compound as toluene equivalent in range of C₆-C₁₀ at 3rd day:

	CAS No	3 rd Days (µg/m ³)
Formaldehyde	50-00-0	N.D.
Sum of TVOC (as Toluene equivalent)	-	N.D.

Table 4: Concentration of Formaldehyde & single VOC compound as toluene equivalent in range of C₆-C₁₀ at 7th day:

	CAS No	7 th Days (µg/m ³)
Formaldehyde	50-00-0	N.D.
Sum of TVOC (as Toluene equivalent)	-	N.D.

Note: N.D. = Not Detected / Less than MDL-Method detection limit

SGS

TEST REPORT

No. CPSA/250253442-CB72592
Job Ref. C&P/2025-02-21-019

REPORTED DATE: 11-MAR-2025

Test results :

Test Part Description :

Sample Description: -PLEASE REFER TO PAGE 1-

Table 3: Concentration of Formaldehyde & single VOC compound as toluene equivalent in range of C₆-C₁₀ at 3rd day:

	CAS No	3 rd Days (µg/m ³)
Formaldehyde	50-00-0	N.D.
Sum of TVOC (as Toluene equivalent)	-	N.D.

Table 4: Concentration of Formaldehyde & single VOC compound as toluene equivalent in range of C₆-C₁₀ at 7th day:

	CAS No	7 th Days (µg/m ³)
Formaldehyde	50-00-0	N.D.
Sum of TVOC (as Toluene equivalent)	-	N.D.

Note: N.D. = Not Detected / Less than MDL-Method detection limit

SCAN TO VIEW



Safe, sustainable, and built to last

ACOLA redefines modern materials, designed for a healthier, safer space.

Uncompromising Purity, Exceptional Strength

Non-toxic, glue-free, and formaldehyde-free
Because quality should never come at a cost to health.

Ready to use from day one

No delays, no waiting.



Glue-free



Non-toxic



Formaldehyde-free

ACOLATM

PANEL



ACOLA Honeycomb Aluminum Panel

.....

Normal Aluminum Panel

.....

Structure

**Honeycomb
Structure**

Solid
Aluminum

Weight

**Lightweight &
Durable**

Relatively
Heavy

Eco-Friendly

**Sustainable &
Recyclable**

Limited
Sustainability

Moisture
Resistance

**Outstanding
Performance**

Prone to
Oxidation

Heat Resistance

Non-Combustible

Loss of Strength

Maintenance

**Low
Maintenance**

Requires Regular
Upkeep

Aesthetics & Style

**Modern &
Sleek Appearance**


Industrial
Aesthetic

Customizable

**Highly
Customizable**

Limited
Customization

ALUMINIUM HONEYCOMB PANEL SERIES




ACOLA-PC012
Warm White

Material : Welding Board / Honeycomb
Surface : Powder Coated Matt

*Note: This sample is only a representation. Variations may occur during manufacture.

ALUMINIUM HONEYCOMB PANEL SERIES




ACOLA-PC014
Sky Grey

Material : **Welding Board / Honeycomb**
Surface : **Powder Coated Matt**

*Note: This sample is only a representation. Variations may occur during manufacture.

ALUMINIUM HONEYCOMB PANEL SERIES



ACOLA-PC017


Muji Khaki

Material : **Honeycomb**

Surface : **Powder Coated Anti-fingerprint ★★**

*Note: This sample is only a representation. Variations may occur during manufacture.

ALUMINIUM HONEYCOMB PANEL SERIES



ACOLA-PC001 | Material : Honeycomb
Morandi Porcelain Black | Surface : Powder Coated Matt ★★ ★

*Note: This sample is only a representation. Variations may occur during manufacture.

ALUMINIUM HONEYCOMB PANEL SERIES



ACOLA-003
Amber Oak

Material : **Honeycomb**
Surface : **Wood Grain ★**

*Note: This sample is only a representation. Variations may occur during manufacture.

ALUMINIUM HONEYCOMB PANEL SERIES




ACOLA-009
Graphite Oak

Material : **Honeycomb**
Surface : **Wood Grain** ★

*Note: This sample is only a representation. Variations may occur during manufacture.

ALUMINIUM HONEYCOMB PANEL SERIES




ACOLA-030
Snow White

Material : **Honeycomb PET-G**
Surface : **Anti-fingerprint**

*Note: This sample is only a representation. Variations may occur during manufacture.


ALUMINIUM HONEYCOMB PANEL SERIES



ACOLA-027	Material : Honeycomb PET-G
Forest Khaki	Surface : Anti-fingerprint

*Note: This sample is only a representation. Variations may occur during manufacture.

ALUMINIUM HONEYCOMB PANEL SERIES




ACOLA-029
Pastal White

Material : **Honeycomb PET-G**
Surface : **Anti-fingerprint**

*Note: This sample is only a representation. Variations may occur during manufacture.


ALUMINIUM HONEYCOMB PANEL SERIES



ACOLA-032 | Material : **Honeycomb PET-G**
Titanium Grey | Surface : **Anti-fingerprint**

*Note: This sample is only a representation. Variations may occur during manufacture.

ALUMINIUM HONEYCOMB PANEL SERIES




ACOLA-033
Crystal Grey

Material : Honeycomb PET-G
Surface : Anti-fingerprint

*Note: This sample is only a representation. Variations may occur during manufacture.

ALUMINIUM HONEYCOMB PANEL SERIES



ACOLA-036
Olive

|

Material : Honeycomb PET-G
Surface : Anti-fingerprint


*Note: This sample is only a representation. Variations may occur during manufacture.



ALUMINIUM HONEYCOMB PANEL

for *Today's Spaces*

- ① 0.2mm Thick PET-G Resistant Film/ Powder Coated
- ② 0.7mm Thick Aluminium Sheet
- ③ 3mm X 3mm High Density Aluminium Honeycomb
- ④ 0.2mm Thick Aluminium Sheet
- ⑤ 3mm X 3mm High Density Aluminium Honeycomb
- ⑥ 0.2mm Thick Aluminium Sheet
- ⑦ 3mm X 3mm High Density Aluminium Honeycomb
- ⑧ 0.7mm Thick Aluminium Sheet
- ⑨ 0.2mm Thick PET-G Resistant Film/ Powder Coated





WYNDOR SDN. BHD.

(758448-A) (B16-180822000201)

No. 11, Jalan TPP 14, Taman Perindustrian Putra,
Lebuhraya Elite, 47130 Puchong, Selangor.

Phone: +603 8066 4633 **Fax:** +603 8052 4555

E-mail: wyndor96@scanteam.com.my

Web: www.wyndor.my

WhatsApp: +6013 774 6183

